

# Barudan BEKT-S1502CII

Two-head 15-needle embroidery machine

## Catalogue (PDF)

Catalogue et fiche technique (PDF)

The maker's catalogue follows on pages 2 and 3.

Al Borj Machinery supplies, installs and services this machine from Sharjah, UAE, and Accra, Ghana.

Product page

[alborj.com/products/barudan-bekt-s1502cii](http://alborj.com/products/barudan-bekt-s1502cii)



Page 2, the first page of the maker's catalogue, reproduced unchanged.

In this catalogue

- |   |                                                                           |
|---|---------------------------------------------------------------------------|
| 2 | Front page: the BEKT-S1502CII two-head embroidery machine and accessories |
| 3 | Features and machine specifications                                       |
| 4 | AED price, delivery and installation: our offices in Sharjah and Accra    |

# BEKT-S1502CII



**Barudan**  
THE MOST ADVANCED EMBROIDERY MACHINE SINCE 1959

## Accessories




Wide Cap Frame



Pocket Frames



Frames for Finished Products



Spider Frames



Sock Frames




Signal Tower

## LEM Server System [Option]

*Quick and Easy Design Transfer to Machines using a Barcode Scanner.*

- Able to connect up to 100 Barudan machines.
- Production Efficiency Reporting is available on the LEM Pro version and is even accessible from anywhere via the web.
- "Report" what head on which machines need maintenance.
- "See" what your machines are producing even from home.
- "Know" which employees and machines are more productive.



## BARUDAN CO., LTD.



■ Sales Headquarter  
20 Tsukagoshi, Josuiji, Ichinomiya-city, Aichi-pref.,  
491-0004 Japan  
Phone +81 586-76-1137  
Fax +81-586-77-1499  
URL <http://www.barudan.co.jp/>  
E-mail [info@barudan.co.jp](mailto:info@barudan.co.jp)

Agent:

# BEKT-S1502CII

MODEL  
BEKT-S1502CII



- Frame Centering Function
- Frame Limit Function  
Able to restrict machine operation when a design does not fit to the frame or when there is a risk of a needle bar hitting the frame.
- Shortcuts  
Customize most-used icons to save time.
- LAN Connector Standard, 2 USB ports
- Touch screen (8.4 inch, Resolution 800×600)
- 70 million stitch capacity, 100 memory locations

Machine Specifications / Main Dimensions

| MODEL         | Embroidery Area (mm) | Cap Frame (mm) | Frames for Finished Products Maximum (mm) | Number of Needles | Stitch Length (mm) | Speed (rpm)                                                                        | Power Supply (v) | Power Consumption (kw) | Dimensions (mm) |      |      |      |     |      | Weight (kg) |
|---------------|----------------------|----------------|-------------------------------------------|-------------------|--------------------|------------------------------------------------------------------------------------|------------------|------------------------|-----------------|------|------|------|-----|------|-------------|
|               |                      |                |                                           |                   |                    |                                                                                    |                  |                        | L               | W    | H    | A    | D   | G    |             |
| BEKT-S1502CII | 450×380              | 79×360         | 460×304                                   | 15                | 0.1~12.7           | (Frames for Finished goods)<br>200~1100<br>(Tubular Frame & Cap Frame)<br>200~1000 | 1 φ 100~240      | 0.225                  | 1625            | 1244 | 1608 | 1425 | 770 | 1447 | 450         |

- The embroidery area indicated above allows for maximum pantograph movement. The frame used may restrict the actual embroidery field size.
- Machines and Specifications are subject to change at any time without prior notice.

## Name Drop

Separates names in a multiple name design for view and sewing purposes.




Name Drop Drive Mode




Name in Name List



Name in Thumbnail List




*New trimmer system along with smaller diameter cylinder arm allows for sewing deeper into confined areas.*



*New tensioner system provides better and easier thread tensioning and improved thread break accuracy.*



## Features



Laser Pointer



LED Back Light



# Ask for the AED price, delivery and installation

Send us the model and your country. Our team replies on WhatsApp or by email, and installs and services this machine from Sharjah and Accra.

## Sharjah, UAE

Head office and showroom

Showroom #4, Al Borj Showrooms,  
Industrial Area 4, P.O. Box 28551,  
Sharjah

+971 6 533 3413  
[info@alborj.com](mailto:info@alborj.com)

## Accra, Ghana

West Africa office

1 Kpentenplebi Link, Dzorwulu,  
Accra

+233 591 896 086  
[ghana@alborj.com](mailto:ghana@alborj.com)

WhatsApp

**+971 6 533 3413**

Email

**[info@alborj.com](mailto:info@alborj.com)**

Product page

**[alborj.com/products/barudan-bekt-s1502cii](https://alborj.com/products/barudan-bekt-s1502cii)**

More catalogues

**[alborj.com/pages/catalogues](https://alborj.com/pages/catalogues)**